1250Gas Log Flame Fire

Rinnai

Relax It's a Rinnai





A Gas Log Fire that's sure to have wide appeal.

Introducing the new Rinnai 1250 – the latest innovation in Gas Log Fires. At over 1.3 meters wide, the long landscape design will make a bold statement in your home. Stunning design, energy efficiency, installation flexibility and high heat output are the hallmarks of the 1250 – so you can relax, for longer.

Features and Benefits

- > Highly efficient 5.5 star energy rating*
- > Powerful heat output up to 8.1kW, perfect for open plan living areas[†]
- > Available with either glowing pebbles or Australian Eucalyptus logs
- > Installation designed specifically for new homes and major renovations
- > Safety mesh guard to provide peace of mind and eliminate reflections
- > Thermostatically controlled
- > Flexible power flueing
- > Remote control included as standard.
- > 3 speed fan with quiet operation.

Design Options



Black on Black Frame



Australian Eucalyptus log set



Stainless Steel on Black Frame



Glowing Pebbles with Optional Side Reflector Panel

^{*}When installed using extended flue. †When using short flue.

Additional Features

> Design

The long, landscape format of the 1250 creates a striking centre piece that meets a variety of different interior design styles. The logs are modelled on the traditional look of split wood with granules scattered across the base of the fire to give a beautiful, glowing flame. The 1250 also offers a modern twist; glowing pebbles that radiate warmth are available as an alternative to logs.

> Flexibility

The 1250 features advanced "power flue" technology, which means a fan is used to force the exhaust air outside – allowing for a range of flueing options like underfloor, sideways or direct. Unlike a conventional gas fire which must be vented vertically, the 1250 can be installed in a variety of different applications.

> Heat Output

Rinnai's high performance heat exchanger technology makes the 1250 a powerful heater, perfect for heating large, open plan living areas. The quiet fan and rapid warm-up time help to quickly create a comfortable environment on those cold winter nights.

> Energy Efficiency

Featuring a highly efficient 5.5* star energy rating, the 1250 is leading the way and pushing new boundaries of energy efficiency. Aside from reduced running costs, the high efficiency rating also helps to protect the environment generating fewer greenhouse gas emissions compared to inefficient heaters.

> Side Reflectors - Optional Extra

The 1250 has the option of reflective side panels to enhance the glowing flames. Black vitreous enamel panels have been designed specifically for the 1250, giving the illusion of an everlasting flame with a subtle presence when the appliance is not in use.


> Limited edition - Submarine Packaging

The first 100 Rinnai 1250 gas log fires sold will include packaging that transforms into a submarine! This limited edition packaging will be a hit with young children whilst you

relax in front of your

brand new fire.


Flueing Options



Please note: *Suitable for direct, vertical or horizontal flueing. 500mm required for down and out applications. See installation instructions for full details.

Installation options

Creating a False Fireplace



Specifications

Existing blank wall

Specifications														
	Visual Dimensions* (mm)		Inbuilt Cavity Dimensions (mm)		Efficiency Star Rating AS4553	Colour	Gas Input	kW Out-put	'Heats up to' Capacity (m²)					
	Height	Width	Depth	Height	Width	Depth					Very Cold	Cold	Cool	Mild
1250	620	1320	25	570	1265	570	5.2 - 5.5	Stainless Steel on Black, Black on Black	10 34	8.4 [†]	69	82	110	125

Engine, flue and weatherproof box installed

Warranty	Heat Exchanger	Fan	All Other Parts	Free Labour				
Domestic Use	10 years pro rata ⁽¹⁾	2 years	1 year	1 year				
Commercial Use	1 year on all parts and labour							

Please note: For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to www.rinnai.com.au ⁽¹⁾Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If hardwiring is required, consult a licensed electrician. "Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai Australia Pty Ltd reserves the right to make modifications and change specifications without notice. # Refers to the visual appearance of the appliance external to the wall for inbuilt models.

Refer to our online heater selector to find the right heater to suit your needs. Download our "Rinnai Fire" app to visualise how a Rinnai Fireplace could look in your home.

Cavity cut-out

Dealer Details:



......

External wall view